

Relativistic Pilot-Wave Theories as the Rational Completion of Quantum Mechanics and Relativity¹

Valia Allori²

Abstract

The pilot-wave theory is an ontologically and mathematically clear quantum theory. Nonetheless, it is explicitly nonlocal, and as such it is often taken to be in tension with relativity. In this paper I argue instead that relativistic pilot-wave theories provide the best combination of quantum mechanics and relativity. Quantum theory is a theory about matter interacting nonlocally, while relativity provides an account of the structure of spacetime. However, I argue, both these theories are incomplete: quantum theory lacks a spatiotemporal ontology to allow for a constructive explanation of the phenomena, while relativity is incomplete because its spatiotemporal structure cannot explain the experimentally proven quantum nonlocal interaction. I maintain that relativistic pilot-wave theories can provide a spatiotemporal ontology of particles (which quantum theory does not possess), as well as a spatiotemporal structure able to explain quantum correlations (which relativity does not have). Ironically then, Einstein thought that quantum mechanics was incomplete because it was nonlocal. Instead, quantum theory is incomplete, even if it is nonlocal. Also, relativity is incomplete because its minimal spatiotemporal structure cannot naturally accommodate such nonlocality. So, I argue, not only the pilot-wave theory is the rational completion of quantum mechanics but also the rational completion of relativity.

Keywords: pilot-wave theory; relativity; spacetime; nonlocality

1. Introduction

In this paper I wish to argue that the best way of reconciling quantum theory and relativity is to think of them both as incomplete. The ‘spirits’ of these two theories are in tension: the ‘spirit’ of quantum theory is nonlocality, but it is developed in a theory without a fundamental spacetime; while the ‘spirit’ of relativity is spacetime in which interactions propagate locally in a Lorentz invariance framework. So, how should we proceed in our research toward a relativistic quantum theory? The pilot-wave theory completes quantum mechanics by specifying a spatiotemporal ontology of particles and embraces a nonlocal interaction. In contrast with standard quantum theory and in virtue of its particle ontology, the pilot-wave theory can explain the phenomena constructively: macroscopic bodies are composed of the microscopic fundamental particles, and their properties are derived by the microscopic dynamics. Nonetheless, its nonlocality clashes with relativity. This is (part of) the reason why people have

¹ Under consideration for A. Oldofredi (ed.) *100 Years of de Broglie-Bohm Theory: Where Do We Stand?* Oxford University Press (forthcoming).

² Philosophy, Northern Illinois University. valiaallori@fastmail.com

gained interest in alternative quantum theories, like spontaneous localization theories. However, as proven by the experimental violation of Bell's inequality, all quantum theories are nonlocal. The proposed relativistic pilot-wave theories have a Lorentz invariant dynamical preferred spatiotemporal foliation which implements the nonlocal interaction. In other words, quantum nonlocality suggests the natural completion of relativity, namely a preferred frame. Therefore, quantum theory is incomplete because it lacks a spatiotemporal ontology, but also relativity is incomplete because it lacks the spatiotemporal structure necessary to account for nonlocality. I conclude by arguing that the simplest and most straightforward type of theory which best combines relativistic spatiotemporal structure and quantum nonlocality is a relativistic pilot-wave theory. That is, a relativistic pilot-wave theory is the rational completion of both relativity and quantum mechanics.

Here is a roadmap of the paper. In section 2, I start with quantum theory. I briefly argue that the real problem with quantum theory is not the measurement problem but rather the absence of a spatiotemporal ontology. I then discuss locality, its desirability, and the charge, originally advanced by Einstein, that quantum theory is nonlocal. I conclude by showing how, given the experimental violation of Bell's inequality, the 'spirit' of quantum theory is nonlocality: no theory which reproduces the quantum predictions can be local. In section 3, I present the pilot-wave theory as a theory of particles which interact nonlocally. Defined in this way, the theory straightforwardly has none of the previous problems, and, in accordance with the violation of Bell's inequality, it is nonlocal. I then turn in section 4 to relativity, I explore the possible 'spirits' of relativity, over and above the Lorentz invariance of the laws, and I argue that it is fundamentally a theory about spacetime. In section 5 I analyze the various proposed relativistic quantum theories, first relativistic pilot-wave theories, and then relativistic spontaneous localization theories. They all have Lorentz invariant laws, and they are all nonlocal, but while relativistic pilot-wave theories add a preferred foliation to the relativistic spatiotemporal structure, relativistic spontaneous collapse theories are foliation-free. Nonetheless, I show that, in addition to being counterintuitive and *ad hoc*, they threaten the notions of influence upon which the desirability of locality was based. In this way, relativistic spontaneous collapse theories show the cost of insisting about relativity being a complete theory. In section 6, I argue that the best way of thinking about relativity given the nonlocality of nature is as an incomplete theory with an important heuristic value: it is a principle theory which puts constraints *on theories*, rather than on phenomena.

2. Quantum Theory and Its Problems

Quantum theory is unproblematic if understood from an antirealist perspective as it provides incredibly accurate and precise predictions. However, it is unclear what it tells us about the world. This is usually explained presenting the measurement problem, which is the problem of macroscopic superpositions.

2.1 Unobserved Macroscopic Superpositions

According to quantum mechanics as seen in physics books the complete state of any physical system is given by the quantum state, represented by the wavefunction ψ , evolving according to the Schrödinger equation which is linear. As such, this theory is notoriously problematic, because the sum of two solutions of a linear equations is still a solution, and this leads to unobserved macroscopic superpositions. This is the so-called problem of the Schrödinger cat, otherwise known as the measurement problem. The standard solution of this problem is given by the collapse rule: when a measurement is performed, the superposition randomly and instantaneously collapses in one of its terms. However, this raises questions about what a measurement is, and why it is not another physical process. To avoid these questions, people have proposed more precise quantum theories, among which the pilot-wave or de Broglie-Bohm theory.³

2.2 Absence of a Spatiotemporal Ontology

Having said that, I think that a deeper problem with quantum theory is that it does not have a spatiotemporal ontology. The wavefunction in standard quantum theory could be naturally understood as a field, analog to electromagnetic fields. However, unlike electromagnetic fields, the wavefunction is a field in a high dimensional space. As a field in a high-dimensional space, the wavefunction cannot straightforwardly be seen as a wave oscillating in space.⁴ Moreover, if one favors constructively explaining the behavior of macroscopic objects as composed of microscopic entities, then one seems to be requiring that both macro and micro objects live in the same space, namely three-dimensional space.⁵ In addition, theories in which the fundamental field describing matter are not in spacetime, are problematical, as they obscure the role of spacetime, especially when discussing the compatibility with relativity.⁶ As we will see

³ De Broglie (1924), Bohm (1952).

⁴ This problem was originally pointed out by de Broglie, Lorentz, Einstein and Schrödinger. In 1927 de Broglie justified his introduction of particles because “it seems a little paradoxical to construct a configuration space with the coordinates of points that do not exist” (Bacciagaluppi and Valentini, 2009, p. 346). Lorentz wrote to Schrödinger: “If I had to choose now between your wave mechanics and the matrix mechanics [referring to the quantum formalism proposed by Heisenberg earlier that year], I would give the preference to the former, because of its greater intuitive clarity, so long as one only has to deal with the three coordinates x, y, z . (Prizbram 1967). Similar concerns come from Einstein: “The field in a many-dimensional coordinate space does not smell like something real” (Howard 1990). Schrödinger agreed: “of course this use of the q -space (configuration space, *noa*) is to be seen only as a mathematical tool, [...] ultimately [...] the process to be described is one in space and time” (Bacciagaluppi and Valentini, 2009, p. 447). The so-called wavefunction realists do not find these arguments compelling; nonetheless, they do not deny that spacetime and a spatiotemporal ontology need to suitably emerge (see Ney 2021, and references therein).

⁵ Allori (2013), Maudlin (2019).

⁶ Wallace and Timpson (2010) and, in different terms, by Myrvold (2015).

in the last subsection, the pilot-wave theory does not have this problem because it is a theory of particles.

2.3 Nonlocality as the 'Spirit' of Quantum Theory

In addition, as emphasized by Einstein, quantum theory with collapse is nonlocal. He took this nonlocality to show that the theory is incomplete: if it were complete then it would be nonlocal, and nonlocality is not acceptable. Locality is the idea that influences travel at finite velocity. It is always assumed that nature is local for two main reasons. First, since causes precede effects in time, interaction between two objects takes time. Moreover, locality seems necessary to treat systems as effectively isolated: we assume that what happens in a certain spatial region is substantially influenced only by objects which are close by. Notice that Newtonian mechanics violates locality: the gravitational and the electromagnetic forces act instantaneously on matter. For instance, lifting my arm now instantly influences the motion of Saturn. Moreover, relativity imposes the constraint that the interaction cannot propagate faster than light. However, the concept of field was later introduced to take care of the first problem: it is a mediator of the interaction, present in every point at each instant. Also, in classical mechanics the intensity of the forces decreases as the inverse of the distance squared, so that the forces generated by distant objects can be neglected and we can treat distant objects as *effectively* isolated, bypassing the second problem.

Einstein argued that the wavefunction collapse is nonlocal, making quantum theory unacceptable. He proposed various incompleteness arguments which rely on the assumption of locality, and which culminated in the famous EPR paper (1935). Consider two particles in a spin singlet state flying in opposite directions, where two experimenters are ready to measure their spin properties. According to standard quantum theory, an individual particle in such a pair does not possess a definite spin property in any direction until this property is measured. If quantum theory were complete, then a spin measurement along some direction on one particle would collapse the wavefunction, instantaneously determining the spin measurement outcome for the other particle, regardless of their mutual distance. However, this straightforwardly violates locality. Collapse is instantaneous as the action of the classical forces, but there is no three-dimensional field mediating the interaction, as the wavefunction is not in spacetime. Moreover, unlike classical fields, the strength of the interaction is unaffected by distance. It is this last feature which prevents us from assuming quantum systems to be isolated: they are instead entangled.

Thus, EPR concluded, the only other way of accounting for these correlations is the assumption of 'pre-existing' values of spin properties along some direction which are revealed by spin measurements, but which quantum theory does not specify ('hidden variables'). That is, EPR thought that one could (and should!) locally complete quantum mechanics to make this nonlocality go away. But EPR were empirically wrong. Bell (1964) constructed an EPR-like hidden variable theory and could write a mathematical constraint on this theory's results

(namely Bell’s inequality), which does not hold for quantum theory. One can then set up a crucial test, which was later performed, and its results were compatible with quantum mechanics,⁷ thereby falsifying any EPR-like hidden variable theory aimed at explaining the perfect correlations locally. In other words, the EPR- correlations can only be explained by a nonlocal interaction: any theory matching the quantum predictions has to be nonlocal.⁸ In light of this, it seems fair to say that, rather than a problem, nonlocality is the true novel feature of quantum theory, and that it embodies its ‘spirit.’ Thus, quantum theory is a theory of matter moving in spacetime, interacting nonlocally.

3 The Pilot-Wave Theory

The pilot-wave theory, which is about to be described in this section, has no problem of superpositions, it has a spatiotemporal ontology, but it is nonlocal. These features would make it a perfectly suitable candidate for a fundamental physical theory in the eyes of any physicist in the pre-quantum era, if it were not for its nonlocality. Nonetheless, now we know more: the experimental violation of Bell’s inequality has shown that we cannot do better than this: nonlocality is the spirit of quantum theory. Accordingly, some have advertised the pilot-wave theory as the rational completion of quantum mechanics:⁹ it is the simplest, most explanatory spatiotemporal theory in which the interaction is straightforwardly nonlocal.

3.1 Ontology and Nomology

The pilot-wave theory has a clear spatiotemporal ontology: it is a theory of microscopic point-particles which can be understood as composing macroscopic objects, as in the classical case. However, contrary to classical mechanics, particles evolve according to an equation which constrains their velocities: $\frac{d}{dt}x(t) = \frac{\hbar}{m}\nabla S(x,t)$, where $\hbar = h/2\pi$ is the reduced Planck constant, and S describes the particles’ interaction, and is the phase of the wavefunction: $\psi(x,t) = R(x,t)e^{i\hbar^{-1}S(x,t)}$. This ψ function evolves according to the Schrödinger equation: $\frac{\partial}{\partial t}\psi(x,t) = -\frac{\hbar^2}{2m}\frac{d^2}{dx^2}\psi(x,t) + V\psi(x,t)$. For a system of N particles the wavefunction is a function of their positions: $\psi = \psi(x_1, x_2, \dots, x_n, t)$, namely a function in the configuration space of these particles. For the reasons sketched in the previous section, the wavefunction describes the *interaction* between particles. That is, it is part of the nomology: the wavefunction and its evolution

⁷ Aspect (1982).

⁸ For more on Bell’s proof of nonlocality, see Goldstein *et al.* (2011). See also Maudlin (1994) for a general discussion on the interplay between nonlocality and relativity. Importantly, I am leaving aside approaches which reject the nonlocality conclusion by questioning the hypothesis of statistical independence (superdeterminism) as well as retrocausal approaches.

⁹ Bricmont (2016).

equation need to be specified to properly define the theory, just like the law of the forces are needed to properly define classical mechanics.¹⁰

3.2 Nonlocality

The pilot-wave theory is explicitly nonlocal: for N particles, the wavefunction depends on the configuration of all particles at the same instant. This means that poking one particle affects the behavior of all the others, instantly, no matter how far apart. The effective collapse of the wavefunction is an explicit example of nonlocality in the pilot-wave theory. In this theory, the wavefunction for all particles (namely of the universe) $\Psi(x_1, \dots, x_N)$ always evolves deterministically according to the Schrödinger equation, so no collapse ever happens. The evolution of sub-systems, like, say, one with three particles with positions x_1, x_2, x_3 , is effectively determined by its conditional wavefunction. This is computed by fixing the position variables in $\Psi(x_1, \dots, x_N)$ with the real positions (denoted using capital letters) of all the particles except x_1, x_2, x_3 : $\psi(x_1, x_2, x_3) = \Psi(x_1, x_2, x_3, X_4, \dots, X_N)$.¹¹ Under certain circumstances, sub-systems may have a Schrödinger evolving conditional wavefunction, but not when the sub-system is being measured: after the interaction with the measuring device, the sub-system conditional wavefunction ψ effectively collapses into one of the terms of the superpositions of Ψ .¹² So, the pilot-wave theory explains the effective collapse of the wavefunction granting that the particles nonlocally interact.

3.3. The Role of Hidden Variables

The pilot-wave theory is a hidden variable theory in the sense that it completes the description of the state of any physical system by adding to the wavefunction the specification of the particles configurations. Nonetheless, it is not a hidden variable theory as EPR would have wanted. EPR needed hidden variables such as spin properties to locally explain the perfect correlations. However, these properties had to be found to be the same in all possible measurements of them. That is, spin values had to be *non-contextual*: the value of a non-contextual property is revealed by the measurement, and it does not depend on the way in which it is measured. All properties we think of as genuine properties are non-contextual. The violation of Bell's inequality falsifies these theories, in which the hidden variables explain the correlations locally. Instead, the pilot-wave theory correctly violates Bell's inequality, just like quantum theory: in this theory the correlations are explained by what Einstein thought unthinkable, namely nonlocality. Notice that in order for the pilot-wave theory to violate Bell's inequality, and thus make the same prediction of quantum theory, it cannot have any hidden

¹⁰ For a recent proposal on how to think about the wavefunction along these lines, see Allori (2021). Alternatives views on the nature of the wavefunction in the pilot-wave theory, include the ones discussed in Albert (1996), Norsen (2010), Esfeld *et al.* (2014), Suárez (2015), Hubert and Romano (2018).

¹¹ See Dürr, Goldstein and Zanghì (1992).

¹² For more on this, and on the conditional wavefunction in the pilot-wave theory, see, notably, Norsen (2016).

variables *a-la* EPR (otherwise it would have been falsified). That means that in the pilot-wave theory spin properties are contextual: spin ‘measurements’ do not reveal the spin values pre-measurement, so they are not really measurements of anything. Measurements should be processes in which the system-detector interaction is negligible so that the outcome faithfully reproduces the value of the property before it is measured. Instead, a spin ‘measurement’ is a process in which the system-device interaction significantly changes the system’s property value so that the outcome does not reflect any property of the system before the interaction. Accordingly, there is no spin property in the pilot-wave theory. The only real hidden variables which can be revealed by measurements are particles positions. However, they play no role in explaining the observed correlations of EPR-type of experiments (they cannot, otherwise the theory would obey Bell’s inequality). The hidden variables of the pilot-wave theory (namely particles positions) instead have the role of grounding the theory to spacetime, providing quantum theory with a spatiotemporal ontology.¹³

4. The ‘Spirit’ of Relativity

Some argue that the type of nonlocality in the pilot-wave theory makes this theory particularly unsuited for a relativistic extension. To properly assess these claims, one needs to better understand what a relativistic extension requires. Relativity is based on two principles: the constancy of the velocity of light c in all inertial reference frames and the relativity principle, according to which physical laws should have the same form in all inertial frames. Together the two principles imply that the description of the phenomena in two inertial frames are connected by Lorentz transformations.

Another reformulation of relativity, which does not explicitly use the two principles but is nonetheless equivalent, is in terms of Minkowski spacetime. Since c is constant, one can consider ct as an additional spatial coordinate. Minkowski spacetime is a four-dimensional space which unifies three-dimensional space and time into a new four-dimensional quantity where each point has coordinates given by the quadruple $(x, y, z, ct) = (\mathbf{x}, ct)$. Two events in spacetime, A and B , may be represented in coordinate systems S as well as coordinate system S' , moving uniformly at velocity v with respect to S . S and S' are connected by Lorentz transformations and it turns out that if the axes of S are orthogonal with one another, the ones of S' instead meet at acute or obtuse angles. Nonetheless, given the second principle, they are equivalent, and given the first principle, light travels in both along the diagonal lines.

As direct consequences of Lorentz transformations, one has a new transformation for velocities, effects like time dilation and length contraction, as well as the relativity of simultaneity, and the impossibility faster-than light motion. Focusing only on the last two, it follows from the Lorentz transformations in terms of coordinate differences, that two events simultaneous in S are not necessarily simultaneous in S' . Since all frames are equivalent, the notion of absolute

¹³ For more on this, see Allori (2013).

simultaneity is lost. In addition, one could show that if signals could travel faster than light one would encounter causal paradoxes in which a signal arrives before it is being sent.

4.1. Relativity and Lorentz Invariance

The idea behind the second principle is very general. It is the requirement that the description we provide of the phenomena is as independent as possible from our point of view. The principle of Galilean relativity is the expression of the principle of relativity within classical mechanics. It states that the form of the laws is the same in all (inertial) frames, which for classical mechanics translates as: laws in different frames are connected by Galilean transformations. Or: laws are invariant under Galilean transformations. In special relativity, the relativity principle is the same, but when combined with the light principle, leads to another type of transformation, and it is equivalent to stating that laws are invariant under Lorentz transformations. Given this, a first requirement for a relativistic theory is that its laws for the evolution of matter are Lorentz invariant. Einstein wrote: "The universal principle of the special theory of relativity is contained in the postulate: The laws of physics are invariant with respect to Lorentz transformations (for the transition from one inertial system to any other arbitrarily chosen inertial system)."¹⁴ Is something else required from a theory to be 'genuinely' relativistic? Is there a deeper 'spirit' of relativity, aside from Lorentz invariance?

4.2 Relativity as a Theory of Space-Time Structure

Especially given its Minkowski formulation, relativity seems straightforwardly a theory of spacetime. Because of this, any theory containing a non-spatiotemporal object, such as the wavefunction, seems already in tension with relativity. In other words, as anticipated, one cannot see the wavefunction as a spatiotemporal mediator field like one could do in the case of electrodynamics. In this reading, only a theory in which matter and its interaction is represented by spatiotemporal entities (emerging or fundamental) could qualify as a candidate for genuinely relativistic status. Nonetheless, the requirement of a theory to be framed in spacetime is clearly not enough to qualify a theory as relativistic, as obviously one can imagine spatiotemporal theories which have nothing to do with relativity. A better idea is to think that a truly relativistic theory only uses relativistic spacetime structure. If so, a nonlocal Lorentz invariant theory would be genuinely relativistic when the nonlocal interaction happens *via* a relativistic spatiotemporal structure.

The spatiotemporal structure of special relativity is encoded in Minkowski spacetime. The trajectory of an object moving at the speed of light is a 'light-like curve.' One therefore can imagine that for any point P , spacetime divides into three regions delineated by the light ray trajectories originating from and arriving at P . They form the surface of a double cone (the 'light-cone') whose vertex is P . These three regions are the absolute past of P (the lower part of the light-cone), the absolute future (the upper light-cone), and the points elsewhere. An object in P can only come from the past light-cone points, and it can only evolve into the future light-

¹⁴ Einstein (1949).

cone points. Light travels on the surface of the light-cone, while particles are confined to time-like worldlines, inside the light cone. Two points in the elsewhere region (outside the light-cone) would have to travel faster than light to reach one another. Since nothing propagates faster than light, two such points, called space-like separated, cannot interact. Minkowski spacetime has a metric, specifying the distance between spatiotemporal points, or events. This is given by the interval $I = \sqrt{(\mathbf{x}_2 - \mathbf{x}_1)^2 - c^2(t_2 - t_1)^2}$. For space-like separated events the interval will be the spatial distance, for time-like separated events it is the temporal distance, for two events on the same light-cone it is zero. Accordingly, the surfaces containing points at equal distance from P are hyperboloids. One can slice spacetime into instantaneous snapshots called space-like hypersurfaces. Events on a given snapshot are simultaneous, namely they happen at the same time. However, as anticipated, observers in relative motion will disagree about the simultaneity of two events. That means that there are different possible ways of slicing spacetime into instantaneous surfaces, one for each observer. These different ‘slicings’ are titled with respect to one another, ultimately because of the Minkowski metric, which has hyperboloids as same distance surfaces. The upshot is that no slicing is ‘the’ correct one: there are simultaneous events only with respect to a particular slicing. This is the relativity of simultaneity: there is no preferred spatiotemporal slicing.

4.3 Relativity and Locality

The first principle comes from the observation that in electromagnetism the velocity of light is constant, independent of the reference frame. As anticipated, when combining this principle with the second principle, it follows that this constant is the maximum possible velocity. In this respect, this encodes the idea of locality: interaction travels, but never faster than light, so no interaction can be instantaneous. As we have seen, locality is not a prerogative of relativity, but a more generally desirable feature of physics: for instance, electrodynamics is local, as the interaction is mediated by the fields travelling at the velocity of light. But, as we also have seen, the violation of Bell’s inequality makes locality not an option. So, given quantum nonlocality, the idea of relativity as prescribing a limit to the velocity of interaction has to go. Aspect’s experiments falsify relativity: some influences are instantaneous.

5. Relativistic Nonlocal Theories

So, what counts as a genuinely relativistic theory? Aside from Lorentz invariance of the laws, is something else required to capture the spirit of relativity? If it is locality, then nothing can be genuinely relativistic because nature is nonlocal. Otherwise, one may wonder whether there is a Lorentz invariant nonlocal theory which only uses relativistic spatiotemporal structure. Lorentz invariant pilot-wave theories have been proposed. Do they have what it takes? Are there alternatives?

5.1 Relativistic Pilot-Wave Theories

Some think that the nonlocality of the pilot-wave theory implies that the pilot-wave theory fundamentally violates Lorentz invariance. Accordingly, in such a theory Lorentz invariance would be an emergent symmetry of the observational level.¹⁵ Nonetheless, Lorentz invariant extensions of the pilot-wave theory have been proposed: some have a Dirac evolving wavefunction, others a Klein-Gordon evolving wavefunction.¹⁶ All these theories have therefore deterministic evolution both for the wavefunction and the particles.¹⁷ Moreover, all these theories are explicitly nonlocal, and since each particle configuration in the wavefunction is taken at the same time, these theories require a notion of *absolute simultaneity*. So, while the Lorentz invariance of the law can be taken care of by having a suitably evolving wavefunction, one will also need a global spacetime structure to implement nonlocality: a preferred foliation of spacetime. A possibility is to simply postulate one.¹⁸ Otherwise, the foliation may be suitably extracted from the wavefunction rather than postulated. In both cases, the foliation is dynamical and Lorentz invariant itself. Also, it is not *ad hoc*: the preferred foliation is in principle undetectable, but there is an explanation of why that is the case, rooted on our lack of access to the particle configurations.¹⁹ Nonetheless, because of the existence of such a preferred foliation, many have looked for alternatives, like spontaneous localization theories, to see whether they can do better.²⁰

5.2 Relativistic Stochastic Theories

The first working spontaneous localization theory, also called GRW theory, was originally proposed to build the collapse in the dynamics of the wavefunction, which now becomes nonlinear and indeterministic.²¹ In this theory the wavefunction evolves according to the Schrödinger equation up to a random time, at which it collapses around a random location with a given accuracy (determined by free parameters, which are seen as new constant of nature). One could turn this into a theory about some spatiotemporal ontology, by suitably postulating one and adding it to the theory. Various proposals have been put forward and respectively dubbed GRWf (for an ontology of spatiotemporal events, or flashes),²² GRWm (for a matter field ontology),²³ and GRWp (for particles).²⁴ In these theories the wavefunction governs the

¹⁵ Bohm and Hiley (1993), Holland (1993), Valentini (1997).

¹⁶ For all these theories, see Tumulka (2018) and references therein.

¹⁷ Proposals which include particles creation and annihilation will have a stochastic particle evolution, see Tumulka (2018) and references therein. Nonetheless, one could describe particle creations and annihilations even with a deterministic dynamics (see Oldofredi 2020 and references therein).

¹⁸ Dürr *et al.* (1999).

¹⁹ Dürr *et al.* (2014).

²⁰ See Bell (1987), Tumulka (2006). See also e.g., Ghirardi (2012), Myrvold (2021), and references therein.

²¹ Ghirardi, Rimini, and Weber (1986).

²² Bell (1987).

²³ Benatti *et al.* (1995).

²⁴ Allori (2020) and references therein.

spatiotemporal ontology in a stochastic way. Several relativistic extensions have been suggested, most notably rGRWf and rGRWm.²⁵ They have in common that they are all Lorentz invariant, nonlocal and only use relativistic spatiotemporal structure.

6. (Nonlocal) Quantum Relativity?

All the proposals discussed in the previous section are nonlocal and Lorentz invariant. However, while relativistic pilot-wave theories are linear and deterministic but they require a preferred foliation, relativistic GRW-type theories are nonlinear and stochastic but also foliation-free. If requiring exclusively a relativistic spatiotemporal structure is necessary for labelling a theory ‘genuinely relativistic,’ then only GRW-type theory qualify. Nonetheless, in this section I am going to argue that, given nonlocality, it would be better to proceed with a theory which modifies both theories as minimally as possible, instead of being as faithful as possible to relativity, especially if that implies heavily modifying quantum theory in an unnatural way. This leads me to identify relativistic pilot-wave theories as the best balance between nonlocality and Lorentz invariant spatiotemporal structure.

6.1 Combining Quantum Theory and Relativity

We need to combine quantum theory and relativity. Arguably, to do so, we need to combine their essential features. I have argued earlier that quantum theory is a theory of matter moving in spacetime and interacting nonlocally. So, in short, the spirit of quantum mechanics is the nonlocality of interaction. I also have argued earlier that relativity is a theory about spacetime and its structure, whose fundamental symmetry is Lorentz invariance. So, in short, the spirit of relativity is Lorentz invariant spatiotemporal structures. Thus, the former is a theory of matter, and the latter is a theory of the arena in which matter interacts. To combine these spirits, we need to build a theory of matter evolving in spacetime interacting nonlocally whose fundamental symmetry is Lorentz invariance.

6.2 Minimal Modification of Relativity but Maximal Modification of Quantum Theory

Relativistic GRW-type theories provide such a theory by being as faithful as possible to relativity. However, what are the consequences of keeping only relativistic spatiotemporal structure to accommodate quantum nonlocality?

Notice that while it would perhaps be simpler or better to have nonlocal, Lorentz invariant, foliation-free theories which are also deterministic, I have argued elsewhere that only stochastic theory can be (nonlocal, Lorentz invariant and) foliation-free.²⁶ However, this stochasticity arguably leads to the dissolution of the notion of locality or lack thereof. In fact, without continuous worldlines for the spatiotemporal ontology it is difficult to say in what sense an event has caused another. This threatens the very notion of influence or interaction: how can we

²⁵ Respectively in Tumulka (2006, 2021) and Bedingham *et al.* (2013).

²⁶ Allori (2022).

make sense of an object influencing another object if we cannot even identify the cause and the effect?²⁷ Without the notion of influence it is difficult to make sense of the notion of locality, since locality is defined as influence travelling at finite velocity. Relatedly, GRW-type theories display ‘supernonlocal’ behavior. That is, due to the stochasticity of their law, they allow for nonlocal transfer of matter even in single ‘particle’ systems. Consider a single ‘particle’ confined in a box.²⁸ Inserts a barrier in the box, splitting the wavefunction, separate the two half-boxes and then open one of them. In GRWm, say, given that the system is microscopic (only one ‘particle’), the matter field is spread out in both half-boxes until one box is opened, at which point the wavefunction instantaneously (thus nonlocally) localizes.²⁹ Nothing like this happens in the pilot-wave theory, where to see nonlocal effects, one needs at least two particles. This is problematical because locality, or the lack thereof, is a feature of interacting systems of two or more particles. Here instead even single particle systems display nonlocality, and it is unclear how to interpret it. Nonlocality is not about influence anymore, as there is no interaction within one system. So, this is another example that the stochasticity of the law, responsible of this supernonlocality, undermines the notion of influence upon which the desirability of locality was based. Thus, while these theories only use relativistic spatiotemporal structure, they have to implement nonlocality with stochastic laws dissolving the intuitive notion of interaction.

Moreover, these theories are empirically inequivalent to quantum mechanics, predicting for instance that energy increases. Even if one could accommodate this theoretically, the failure of energy conservation may be rightfully considered a drawback of this theory. In any case crucial tests to determine which theory is correct are taking place. Nonetheless, GRW theories have free parameters which are adjusted after every single experiment to avoid falsification, and this constant adjustment makes these theories rather *ad hoc*, if not fine-tuned.

In my opinion, therefore, it is useful to explore this type of theories to probe the consequences of combining quantum nonlocality with a minimal relativistic spatiotemporal structure. The result however is that a nonlocal theory without any additional relativistic spatiotemporal structure leads to the dissolution of the natural notion of nonlocality. Moreover, this can only be accomplished by a nonlinear and stochastic theory which modifies the beauty of the Schrödinger evolution, with *ad hoc* parameters, which predicts, among other things, that energy is not conserved. In other words, any quantum (i.e., nonlocal) theory which tries to use only a minimal relativistic spatiotemporal structure, namely any theory which does not modify relativity (aside from being nonlocal) ends up heavily modifying quantum theory: in addition

²⁷ This has been questioned by Myrvold (2021).

²⁸ The scary quotes are needed because, strictly speaking there may be no fundamental particles in these theories, which may have a matter field or a flash ontology. Nonetheless, we can speak about a single ‘particle’ because the system behaves as if it were composed by a single particle-like entity.

²⁹ A similar scenario holds for GRWf and GRWp; see Allori (2022).

of supplementing it with some spatiotemporal ontology, these theories dissolve the notion of locality with the use of *ad hoc*, nonlinear and stochastic laws.

6.3 Minimal Modification of Both Theories

The alternative is given by the Lorentz invariant pilot-wave theories, which are deterministic and linear. In these theories quantum mechanics is naturally completed by the specification of particles positions and relativity is completed by the specification of a preferred spatiotemporal slicing. These theories are not *ad hoc*, not stochastic, not nonlinear, and they have not so hard-to-swallow predictions. The explicit nonlocality of the pilot-wave theory clearly embodies the spirit of quantum theory, and also clearly suggests how to amend relativity: add a preferred spatiotemporal foliation. That is, relativistic pilot-wave theories provide the best balance between the quantum and the relativistic spirit, respectively nonlocality and Lorentz invariant spatiotemporal structure, by slightly modifying them both: add particles to quantum theory and add a preferred foliation to relativity. All this by remaining deterministic and not *ad hoc*.

So, to me the choice is clear: relativistic pilot-wave theories provide the best balance between quantum mechanics and relativity, and thus they are the way to go. Relativistic pilot-wave theories provide the minimal modification of both theories to accommodate all the experimental data, including nonlocality. They are theories of matter evolving in spacetime interacting nonlocally, whose fundamental symmetry is Lorentz invariance. These theories add a spatiotemporal ontology to quantum theory, and a preferred spatiotemporal foliation to relativistic spacetime.

As emphasized above, people think this is in contrast with the spirit of relativity: a preferred foliation reintroduced the notion of absolute simultaneity while Lorentz invariance does not require one. However, since we are trying to put together quantum theory with relativity, Lorentz invariance cannot be the only constraint, as we also need to accommodate nonlocality. In other words, relativity was formulated with the idea that interaction travels, and that Lorentz invariance is a constraint to its maximum velocity. Thus, it was natural to suppose that there was no other structure than the one dictated by Lorentz invariance. However, now the situation has changed: we know about quantum nonlocality and the natural way to accommodate it is to have an additional structure to Minkowski spacetime. This is not going to be a redundant structure, as it is needed to account for nonlocality which we know is part of the structure of the world. There are no simpler options than doing that. As we have seen, we may drop this preferred foliation at the costs of heavily modifying quantum theory in an artificial way. But why would we do that? Why protect relativity at all costs if we already know that we need to modify it already, due to nonlocality? Why modify only quantum theory? Wouldn't it be best to modify minimally both theories instead?

Relativistic pilot-wave theories put all the puzzles pieces together: the lack of a spatiotemporal ontology of quantum theory is solved by adding particles which also allow to recognize relativity as a theory about spatiotemporal structure relativity; quantum nonlocality is explicitly

acknowledged in terms of the wavefunction and it suggests the missing piece of relativity, namely a preferred foliation. Both quantum theory and relativity are incomplete, and they are both naturally and minimally completed by relativistic pilot-wave theories which therefore seem to me tailor-made, or just what the doctor ordered.³⁰

6.4 How to Understand Relativity

If we go in this direction, it does not mean that relativity is irrelevant: laws are Lorentz invariant, and the relativistic spatiotemporal structure will all still be there (light-cones, and Minkowski metric). In other words, both relativity principles still hold. The relativity principle, which is a guide to what a good theory should look like, is still true, as Lorentz invariance holds. However, spacetime is not as invariant as possible: there is a preferred frame. In fact, one cannot eliminate what is needed to explain the empirical data. As in the case of classical mechanics one needs a preferred frame to account for the effects of accelerated motion, so here one needs a preferred frame to deal with nonlocality.

The only implication of the preferred foliation, aside from straightforwardly accounting for nonlocality, is that the notion of absolute simultaneity comes back into the picture. But, as discussed above, relativity of simultaneity is a consequence of Lorentz invariance alone, but since we also have the nonlocality constraint, there seems to be little reason in insisting on requiring that simultaneity is relative, especially considering that it is a counterintuitive feature of relativity which does not seem to contribute to its overall explanatory power, being a consequence, rather than a presupposition, of (unconstrained) Lorentz invariance.

So, in my opinion, the best way of thinking of relativity is as an incomplete theory of spacetime structure, which relativistic pilot-wave theories suitably complete. Arguably, Einstein might not have been too surprised or upset to discover that relativity is not the last word. In fact, he originally believed that relativity was a principle theory, and in his view principle theories require a deeper explanation in terms of a constructive theory.³¹ Principle theories explain macroscopic phenomena constraining them in terms of principle (like thermodynamics), while constructive theories explain them in terms of their microscopic components and their dynamics, and give a deeper understanding of the reason principles hold (like kinetic theory). If relativity is a principle theory, the corresponding constructive theory would be like the one proposed by Lorentz, according to which relativistic effects are explained by actual contraction of matter. Einstein rejected it, not because he thought that it was wrong-headed but rather because he thought we lacked a satisfactory theory of matter.³² Relativistic pilot-wave theories do not currently provide a constructive explanation of the principles of relativity or their effects. Nonetheless, what we know about matter interaction, which Einstein did not, is that it is

³⁰ This is what Detlef Dürr used to say.

³¹ Einstein (1919).

³² Pauli and Eddington were also supporters of constructive explanation in relativity (see Brwon and Pooley 2004, and references therein).

nonlocal. So, something needs to be modified in relativity theory to account for it, regardless of whether it is a principle theory or not. Perhaps one may think of relativity as a principle theory constraining acceptable *theories*, rather than phenomena: theories should at least be Lorentz invariance and have a Minkowski spatiotemporal structure, without specifying whether they need to have something else or not. For what it is worth, this seems compatible with what Einstein wrote: “General laws of nature are co-variant with respect to Lorentz transformations. This is a definite mathematical condition that the theory of relativity demands of a natural law, and in virtue of this, the theory becomes a valuable heuristic aid in the search for general laws of nature.”³³

7 Final Considerations

If what is argued here is correct, then the situation is somewhat bitterly ironic. In fact, Einstein’s most famous argument for the incompleteness of quantum theory is that if it were complete, it would be nonlocal; instead, quantum theory is incomplete *and* nonlocal. Moreover, relativity turns out to be incomplete too, because it cannot deal with quantum nonlocality. Lorentz invariant extensions of the pilot-wave theory, I have maintained, provide the current best option at completing both theories: the ground quantum theory in spacetime and they account for nonlocality by adding the needed spatiotemporal structure to relativity.

Naturally, there are many open questions. Quantum nonlocal interactions are instantaneous. What implication does it have for the notion of interaction? As we saw, the idea of locality captures the idea that interaction travels: an object takes some time to ‘notify its presence’ to another object. Since instead we have nonlocality, we are back to Newton’s problem that lifting my arm instantly influences the motion of Saturn. As we saw, in the classical case we can alleviate the problem because we can use fields to mediate the interaction, which then becomes not instantaneous, and the strength of the interaction decreases with distance so that we can ignore the effects of objects which are far away. In the quantum case instead, as anticipated, we do not have either: no spatiotemporal mediator, and no decrease of strength with distance, even if the interaction of the system with its environment (decoherence) effectively destroys entanglement, giving rise to a seemingly local universe. Could (or should) we still think that interaction travels under these constraints? If it does, it travels at speed greater than the velocity of light, which in turn means that light is not the fastest speed. However, this was a consequence of Lorentz invariance: if signals could travel faster than light then we could have signals arriving before they are transmitted, and I do not think the situation changes much with the introduction of a preferred foliation. If instead we give up the idea that interaction is something that travels, then what are the consequences and how else should we understand interaction? As a side remark, let me notice that if we do abandon the notion of travelling interaction, we also lose the need of having fields as mediators, which would make the overall

³³ Einstein (1920).

ontology of the theory simpler. Be that as it may, how should we think of entangled particles? One possibility could be to think of them not as two particles interacting nonlocally, but as nonseparable entities. While the notion of locality has to do with interaction, the notion of separability has to do with the way matter is. That is, if the properties of the whole are completely determined by the properties of its parts, then we talk about separability.³⁴ But in this context matter is made of particles, so in virtue of what is a pair of entangled particles nonseparable? Another possible reaction is to simply maintain that the law governing the behavior of matter is nonlocal, and such law does not 'propagate' but rather it is what primitively connects a pair of entangled particles. Presumably, one can think of many more ways to make sense of nonlocality, and I do not know which attitude will provide itself to be most fruitful. But, since the word is nonlocal, everyone, not just those who endorse the pilot-wave theory, needs to start asking this type of questions and start finding answers.

³⁴ Howard (1985).

References

- Albert, David Z. 1996. "Elementary Quantum Metaphysics." In: J. T. Cushing, A. Fine, and S. Goldstein (eds.), *Bohmian Mechanics and Quantum Theory: An Appraisal*: 277–284. Dordrecht: Kluwer.
- Allori, Valia. 2013. "Primitive Ontology and the Structure of Fundamental Physical Theories." In: D. Albert, A. Ney (eds.), *The Wave Function: Essays in the Metaphysics of Quantum Mechanics*: 58-75. Oxford University Press.
- Allori, Valia. 2020. "Spontaneous Localization Theories with a Particle Ontology" In: V. Allori, A. Bassi, D. Dürr and N. Zanghì (eds.), *Do Wave Functions Jump? Perspectives on the Work of GianCarlo Ghirardi*: 73-93. Springer.
- Allori, Valia. 2021. "Wave-Functionalism." *Synthese* 199: 12271–12293.
- Allori, Valia. 2022. "What is it Like to be a Relativistic GRW Theory? Or: Quantum Mechanics and Relativity, Still in Conflict After All These Years." *Foundations of Physics* 52: 79.
- Aspect, Alain, Jean Dalibard, Gerard Roger. 1982. "Experimental Test of Bell's Inequalities Using Time-Varying Analyzers." *Physical Review Letters* 49 (25): 1804.
- Bacciagaluppi, Guido, and Antony Valentini. 2009. *Quantum Theory at the Crossroads: Reconsidering the 1927 Solvay Conference*. Cambridge: Cambridge University Press.
- Bedingham, Daniel, Detlef Dürr, GianCarlo Ghirardi, Sheldon Goldstein, Roderich Tumulka, and Nino Zanghì. 2014. "Matter Density and Relativistic Models of Wavefunction Collapse." *Journal of Statistical Physics* 154 (1-2): 623-631.
- Bell, John S. 1964. "On the Einstein-Rosen-Podolsky Paradox." *Physics* 1(3): 195–200.
- Bell, John S. 1987. "Are there quantum jumps?" In: C. W. Kilmister (ed.): *Schrödinger. Centenary Celebration of a Polymath*: 41-52 Cambridge: Cambridge University Press.
- Benatti, Fabio, Giancarlo Ghirardi, and Renata Grassi. 1995. "Describing the Macroscopic World: Closing the Circle within the Dynamical Reduction Program." *Foundations of Physics*. 25: 5– 38.
- Bohm, David. 1952. "A Suggested Interpretation of the Quantum Theory in Terms of 'Hidden' Variables." *Physical Review* 85: 166-193.
- Bohm, David and Basil J. Hiley. 1993. *The Undivided Universe: An Ontological Interpretation of Quantum Theory*. London: Routledge & Kegan Paul.
- Bricmont, Jean. 2016. *Making Sense of Quantum Mechanics*. Springer.
- Brown, Harvey R., and Oliver Pooley. 2004. "Minkowski Space-Time: A Glorious Non-Entity." In: D. Dieks (ed.), *The Ontology of Spacetime*: 67-89. Elsevier.
- de Broglie, Louis. 1924, *Recherches sur la théorie des quanta*. Ph.D. Thesis, Université de Paris. *Annals de Physique* (10) 3: 22-128 (1925). English translation, L. de Broglie (2004): "On the Theory of Quanta," Foundation of Louis de Broglie ed.
- Dürr, Detlef, Sheldon Goldstein, and Nino Zanghì. 1992. "Quantum Equilibrium and the Origin of Absolute Uncertainty." *Journal of Statistical Physics* 67: 843-907.
- Dürr Detlef, Sheldon Goldstein, Karin Münch-Berndl, and Nino Zanghì. 1999. "Hypersurface Bohm–Dirac Models." *Physical Review A* 60: 2729–2736.

- Dürr Detlef, Sheldon Goldstein, Travis Norsen, Ward Struyve, and Nino Zanghì. 2014. "Can Bohmian Mechanics be Made Relativistic?" *Proceedings of the Royal Society A* 470(2162): 20130699.
- Einstein, Albert. 1919. *What is the Theory of Relativity?* The London Times.
- Einstein, Albert. 1920. *Relativity: The Special and the General Theory* New York: Henry Holt & Co..
- Einstein, Albert. 1949. "Autobiographical Notes." In: Schilp, P.A. (ed.), *Albert Einstein Philosopher-Scientist*:1-94. New York: Open Court.
- Einstein, Albert, Boris Podolsky, and Nathan Rosen. 1935. "Can Quantum-mechanical Description of Physical Reality be Considered Complete?" *Physical Review* 47 (10): 777.
- Esfeld, Michael A., Dustin Lazarovici, Mario Hubert, and Deltef Dürr. 2014. "The Ontology of Bohmian Mechanics." *British Journal for the Philosophy of Science* 65: 773-796.
- Ghirardi, GianCarlo. 2012. "Does Quantum Nonlocality Irremediably Conflict with Special Relativity?" *Foundations of Physics* 40: 1379-1395.
- Ghirardi, GianCarlo, Alberto Rimini, and Tullio Weber. 1986. "Unified Dynamics for Microscopic and Macroscopic Systems." *Physical Review D*: 34: 470.
- Goldstein, Sheldon, Travis Norsen, Daniel V. Tausk, and Nino Zanghì. 2011. "Bell's Theorem." *Scholarpedia* 6(10): 8378. revision #91049.
- Holland, Peter R. 1993. *The Quantum Theory of Motion*. Cambridge: Cambridge University Press.
- Howard, Don. 1985. "Einstein on Locality and Separability." *Studies in History and Philosophy of Science*. 16(3): 171– 201.
- Howard, Don. 1990. "'Nicht sein kann was nicht sein darf,' Or the Prehistory of EPR, 1909–1935." In: A.I. Miller (ed.) *Sixty-Two Years of Uncertainty*: 61–111. New York: Plenum.
- Hubert, Mario, and Davide Romano. 2018. "The Wave-Function as a Multi-Field." *European Journal for Philosophy of Science*: 1-17.
- Maudlin, Tim. 1994. *Quantum Non- Locality and Relativity*. Oxford: Blackwell.
- Maudlin, Tim. 2019. *Philosophy of Physics: Quantum Theory*. Princeton, NJ: Princeton University Press.
- Myrvold, Wayne. 2015. "What Is a Wave Function?" *Synthese*. 192(10): 3247– 3274.
- Myrvold, Wayne. 2021. "Relativistic Constraints on Interpretations of Quantum Mechanics." In: E. Knox, and A. Wilson (eds.) *The Routledge Companion to Philosophy of Physics*: 99-121. Routledge.
- Ney, Alyssa. 2021. *Finding the World in the Wave Function*. New York: Oxford University Press.
- Norsen, Travis. 2010. "The Theory of (Exclusively) Local Beables." *Foundations of Physics* 40: 18581884.
- Norsen, Travis. 2016. "Bohmian Conditional Wave Functions (and the Status of the Quantum State)." *Journal of Physics: Conference Series* 701 012003.
- Oldofredi, Andrea. 2020. "Stochasticity and Bell-type Quantum Field Theory." *Synthese* 197(2): 731-750.

- Przibram, Karl. 1967. *Letters on Wave Mechanics: Schrödinger, Planck, Einstein, Lorentz*. New York: Philosophical Library.
- Suárez, Mauricio (2015). "Bohmian Dispositions." *Synthese* 192 (10): 3203-3228.
- Tumulka, Roderich. 2006. "A Relativistic Version of the Ghirardi-Rimini-Weber Model." *Journal of Statistical Physics* 125: 821–840.
- Tumulka, Roderich. 2018. "On Bohmian Mechanics, Particle Creation, and Relativistic Space-Time: Happy 100th Birthday, David Bohm!" *Entropy* 20(6): 462.
- Tumulka, Roderich. 2021. "A Relativistic GRW Flash Process with Interaction." In: V. Allori, A Bassi D Dürr, N. Zanghì (eds.) *Do Wave Functions Jump? Perspectives of the Work of GianCarlo Ghirardi*: 321-347. Springer.
- Valentini, Antony. 1997. "On Galilean and Lorentz Invariance in Pilot-Wave Dynamics." *Physics Letters A* 228 (4–5): 215–222.
- Wallace, David, and Christopher G. Timpson. 2010. Quantum Mechanics on Spacetime I: Spacetime State Realism. *British Journal for the Philosophy of Science* 61 (4):697-727.